




GBMA Bearing Manufacturing Co.,Ltd



VA201



2Z/VA201



2Z/VA208



2Z/VA228

6313-2Z/VA201 SKF High Temperature Insert Bearings

Bearing No. 6313-2Z/VA201

6313-2Z/VA201 Bearing 2D drawings and 3D CAD models

Size	65x140x33 mm
Bore Diameter	65 mm
Outer Diameter	140 mm
Width	33 mm
d	65 mm
D	140 mm
B	33 mm
C	33 mm
d1	88,3 mm
r1 min.	2,1 mm
r2 min.	2,1 mm
D2	122 mm
Weight	2,1 Kg
Temperature -	30 to +250 °
Basic static load rating (C0)	60 kN
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Enclosure	2 Metal Shields
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing



GBMA Bearing Manufacturing Co.,Ltd

Snap Ring	No
Internal Special Features	Polyalkylene Glycol/Graphite Mixture Filled
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	65MM Bore; 140MM Outside Diameter; 33MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; Polyalkylene Glycol/Graphite Mixture Filled Internal Special Fe
Other Features	Deep Groove Extreme Temperature Variant
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.skf.com
Weight / LBS	4.885
Bore	2.559 Inch 65 Millimeter
Outer Race Width	1.299 Inch 33 Millimeter
Outside Diameter	5.512 Inch 140 Millimeter
Inner Race Width	0 Inch 0 Millimeter
d ₁	88.35 mm
D ₂	121.3 mm
r _{1,2} min.	2.1 mm
d _a min.	77 mm
d _a max.	88.3 mm
D _a max.	128 mm
r _a max.	2 mm



GBMA Bearing Manufacturing Co.,Ltd

Basic dynamic load rating C	97.5 kN
Basic static load rating C ₀	60 kN
Limiting speed	40 r/min
Limiting temperature T max.	250 ° C
Mass bearing	2.19 kg